

Time	Aseptic Technologies & Annex 1 Conference	Digitalisation & Artificial Intelligence	Single-Use Systems in Sterile & Biomanufacturing	Cleanroom Challenges in Ongoing Operations	Trends in Barrier Systems & Robotics	Sustainability/Green GMP	ATMPs – Hurdles & Achievements	Medical Cannabis	Time				
Room	Forum 1.1	Studio 1.3	Studio 1.5	Studio 1.2	Forum 1.2	Studio 1.1	Forum 1.3	Studio 1.4	Room				
9:00 h	<b>Artificial Intelligence (AI) in Manufacturing and Quality at Sanofi</b>												
9:15 h	Dr Maite Durrenbach, Chief Quality Officer, Sanofi												
9:30 h	<b>Wallhäuser Innovation Award Ceremony</b>												
9:45 h	Coffee Break												
10:00 h	Coffee Break												
10:15 h	Coffee Break												
10:30 h	Quality Risk Management in Aseptic Manufacturing: Reasonable Use <i>Dr Ingrid Walther, Pharma Consulting Walther</i>	Accelerate Automation Project Implementation and Reduce Risk with a Digital Twin <i>Rasmus Wendelboe Jørgensen, Novo Nordisk</i> <i>Vicky Athanasiou, Emerson</i>	Single-Use Systems - GMP Inspector's View <i>Dr Daniel Müller, Local GMP Authority of Baden-Württemberg Germany</i>	Cleanroom Garments - Clothing Basics, Barrier Functions and More <i>Jörg Mesenich, Consultant</i> <i>Gabriele Schmeer-Lioe, Deutsche Institute für Textil- und Faserforschung (DITF)</i>	Air Velocity at Working Position and other Cleanroom (Airflow) Challenges in new Annex 1 <i>Jörg Zimmermann, Vetter Pharma-Fertigung</i> <i>Dr Johannes Rauschnabel, Syntegon Technology</i>	How can Sustainability be integrated into a Pharmaceutical Quality Management System? ... or is it already included? <i>Dr Andrea Bauer, ABC&amp;Q</i>	Navigating the EMA Process: Key Insights from Filing for a TEMP <i>Dr Katja Aschermann, Astator</i>	Challenges and Experiences from current GMP Inspections <i>Dr Rainer Gnihl, District Government of Upper Bavaria, Germany</i>	10:30 h				
10:45 h				Sterile Filtration - PUPSIT and Requirements beyond <i>Dr Frank Sielaff, Regional Authority Darmstadt, Germany</i>	Live Demos PHARMAPLAN AG ZETA GmbH Emerson Automation Solutions Kneat Solutions	Qualification Study for Cleanroom Garments <i>Carsten Moschner, CMC3</i>			GMP Risk Assessment for Performing the Test for Sterility in an Isolator <i>Dr Bettina Rietz-Wolf, Local GMP Authority of Baden-Württemberg, Germany</i> <i>Dr Timo Krebsbach, SKAN</i>	Circular Economy Opportunities for the Pharmaceutical Industry <i>Susana Lima Santos, Bial</i>	Challenges and Special Requirements for GMP Inspections of ATMPs <i>Alexander Kammerlocher, Local GMP Authority of Baden-Württemberg, Germany</i>	10:45 h	
11:00 h						Lunch Break			Upgrade of integrated H2O2 Bio-Decontamination System for Production of Vial Filling Line with oRABS – Part II <i>Pasquale Cataldo, Roche Diagnostics</i> <i>Kenan Kanmaz, Optima Pharma containment</i>	The new F-Gas Regulation and its Impact on pharmaceutical Freeze-Drying <i>Thomas Beutler, GEA</i>	Quality Assurance of mRNA Vaccines for human use: the Role of the European Pharmacopoeia <i>Prof Dr Gerrit Borchard, University Geneva &amp; Member of the EDQM expert group</i>	The Intersection between GMP and GACP <i>Luis Meirinhos Soares, formerly INFARMED &amp; Member of ECA's Cannabis Working Group</i>	11:00 h
11:15 h	11:15 h												
11:30 h	11:30 h												
11:45 h	11:45 h												
12:00 h	Lunch Break												
12:15 h	Lunch Break												
12:30 h	Lunch Break												
12:45 h	Lunch Break												
13:00 h	Lunch Break												
13:15 h	Lunch Break												
13:30 h	Practical Application of setting up an annual Contamination Control Strategy (CCS) Assessment <i>Ruben van der Galiën, GE HealthCare</i> <i>Dr Prachi Sawant Raschdorf, GE HealthCare</i>	Case Study: Design & Implementation of a new highly-automated modular OSD Production Facility at Bayer Leverkusen <i>Andreas Bail, Bayer</i> <i>Anton Kopitzsch, Glatt</i>	Single-Use Technology: An overview from USP to Fill&Finish technologies <i>Prof Dr Regine Eibl, Zurich University of Applied Sciences</i>	Consumables and Cleanroom - Expectations and Experiences of an Inspector <i>Dr Daniel Müller, Local GMP Authority of Baden-Württemberg Germany</i>	Lunch Break				13:30 h				
13:45 h					RTU + RTS materials - GMP Requirements for the Pharmaceutical Manufacturer and Supplier Qualification <i>Dr Rainer Kahlich, Authority of Baden-Württemberg, Germany</i>	Integrating Digitalization & Robotics in Pharmaceutical Manufacturing: Strategies, Challenges, and Compliance in the Digital Era <i>Maja Karovic, F. Hoffmann-La Roche</i> <i>Yvonne Duckworth, CRB</i>	Live Demos Cytiva Merck MK Versuchsanlagen Innerspace	Disposables - Face Masks and the Like - what Protection do they Really Provide? <i>Monika Lamprecht, Lamprecht Consulting and Coaching</i>	Case Studies and future Trends for Zero Human Interactions in Aseptic Filling <i>Dr Arne Schröder, Vetter Pharma-Fertigung</i> <i>Tobias Resch, Stäubli Tec-Systems</i>	The EU Green Deal – Supply Chain Due Diligence Directive (CS3D) and the German Supply Chain Act (LkSG) <i>Leonie Evans, Meisterernst Attorneys</i>	Challenges on the Way to becoming a Contract Manufacturer <i>Dr Carolin Klemm, DKMS Stem Cell</i>	Case Study 1 Cannabis Cultivation under GACP <i>Natalie Thurner, Chemengineering</i> <i>Dr Michal Wojcicki, Cannerald</i>	13:45 h
14:00 h													14:00 h
14:15 h	Coffee Break												
14:30 h	Coffee Break												
14:45 h	Coffee Break												
15:00 h	Coffee Break												
15:15 h	Coffee Break												
15:30 h	Coffee Break												
15:45 h	Contamination Control Strategy of RTU-Packaging Systems in relation to Annex I <i>Horst Koller, HK Packaging Consulting</i> <i>Katharina Golly, Novartis</i>	Smart Panel – The future of the pharmaceutical production process <i>Christoph Dechow, Boehringer Ingelheim Pharma</i> <i>Dr Sebastian Wibbeling, Fraunhofer-Institut for Material Flow and Logistics IML</i>	Quality Approach in Manufacturing of SUS: performance, robustness & sterility <i>Dr Marco Klatte, Merck Healthcare</i>	Cleanroom Wipes - What is Cleanroom-Compatible really? <i>Carsten Moschner, CMC3</i>	Coffee Break				15:45 h				
16:00 h					Steam Sterilized Isolators solve indirect Product Contact Surface Dilemma (bowls/lanes) <i>Dr Geert Vandenbossche, C&amp;E Solutions BV</i>	Continued Process Verification Using Automated Data Assessment <i>Dr Philip Hörsch, Vetter Pharma-Fertigung</i> <i>Bettina Schroeder, Vetter Pharma-Fertigung</i>	Case Study Roche: Exploring Alternative Media for Filter Flushing: Implications for Protein Concentration and Product Quality <i>Julia Mathy, Roche Diagnostics</i>	Mopping Systems and the Associated Systems <i>Margarete Witt-Mäckel, Witt Hygienemanagement</i>	Implementation of RABS systems in Small Volume Manufacturing <i>Marta Rodríguez-Vélez, Letipharma</i>	3R Initiative Within Roche's Global QC Network <i>Dr Sven M. Deutschmann, Roche</i>	The Challenge of GMP Manufacturing of innovative Exosome-based Therapies <i>Sandrine Mores, ExoBiologics</i>	Update from the German Cannabis Agency <i>Dr Anne Wolf, German Cannabis Agency (BfArM)</i>	16:00 h
16:15 h													16:15 h
16:30 h	Discussion												
16:45 h	Discussion												
17:00 h	Discussion												
17:15 h	Discussion												
17:30 h	Discussion												
18:00 h	Social Event				Social Event								



Time	Aseptic Technologies & Annex 1 Conference	Digitalisation & Artificial Intelligence	Single-Use Systems in Sterile & Biomanufacturing	Cleanroom Challenges in Ongoing Operations	Trends in Barrier Systems & Robotics	Sustainability/Green GMP	ATMPs – Hurdles & Achievements	Medical Cannabis	Time	
Room	Forum 1.1	Studio 1.3	Studio 1.5	Studio 1.2	Forum 1.2	Studio 1.1	Forum 1.3	Studio 1.4	Room	
9:00 h	<b>Pharmaceutical Manufacturing Reinvented: The 3D Printing Process and other New Technologies</b> Dr Ranjita Shegokar Sahoo, Chief Pharma Innovation Officer (CPO), DiHeSys									9:00 h
9:15 h										9:15 h
9:30 h										9:30 h
9:45 h	Coffee Break									9:45 h
10:00 h										10:00 h
10:15 h										10:15 h
10:30 h	Operational fill & finish Experience in processing various „ready-to-use“ Containers in an aseptic Isolator Environment of Biologicals through to high potent Products; <i>Stylianios Sampanis, Sanofi; Ralf Wagner, Optima Pharma</i>	Digitalisation and AI from the Inspector’s Point of View <i>Dr Arno Terhechte, GMP Inspectorate Münster, Germany</i>	Case Study Merck: Single-Use Technology in Aseptic Drug Product Manufacturing <i>Nicola Rutigliani, Merck Healthcare</i>	Cleanroom Gloves - the Balancing Act Between Cleanroom Suitability and Personnel Protection <i>Monika Lamprecht, Lamprecht Consulting and Coaching</i>	Aseptic Transfers in Small Batch Filling - Industry standards and new approaches to meet Annex 1 <i>Thorsten Haefner, PSM Sebastian Hillbrand, SKAN</i>	Process Load Profiles as a Basis for a Cost efficient and sustainable Design of Utility Supply Systems <i>Bianca Bohrer, PSM Saar Peter Gross, Consulting</i>	From personalized medicine to flexible machine solutions <i>Vilma Methner, Optima</i>	Regulatory Status and Quality Standards of Cannabinoids Manufacture <i>Dr Giorgia Tossi, Linnea</i>	10:30 h	
10:45 h	Accelerating Pharmaceutical Manufacturing: A Case Study of entering Syringe and Cartridge Fill-Finish Production <i>Henning Austermann, Siegfried Hameln Klaus Ullherr, Syntegon Technology</i>	AI (Artificial Intelligence) in Manufacturing <i>Dr Monika Hupfau, KOCH/HUPFAUF Attorneys Amir Abou Elmagd, Genome Lawyers</i>	Case Study BioNTech: CCS for Processing Frozen Sterile Drug Products in a Single-Use Assembly <i>Dr Yuan-An (Angus) Liu, BioNTech</i>	Facility Monitoring with Single-Use Active Viable Sampling in the Daily Practice of a Contract Developer and Manufacturer - Complete and Simple Solution; <i>Dr Thomas Müller, Recipharm Ivan Spiro, Particle Measuring System</i>	A Case Study highlighting the Validation of a closed gloveless Aseptic Filling Workcell <i>Joachim Vereecke, White Raven Brent Lieffers, Cytiva</i>	Sustainability Strategies at Pekana <i>Dr Marius Beyersdorff, Pekana Gabriele Brutscher, Pekana</i>	Visible and Subvisible Particle Control for Cell Therapy From Development to Commercialization <i>Dr Roman Mathaes, Clear Solutions Laboratories</i>	Challenges in Microbiological Decontamination of Medicinal Cannabis <i>Dr David Surjo, GOC NEXUS</i>	10:45 h	
11:00 h	<b>Live Demos</b> Tempris GmbH Bausch+Ströbel REA Elektionik Yokogawa Deutschland GmbH									11:00 h
11:15 h										11:15 h
11:30 h										11:30 h
11:45 h	Challenges and benefits for modern and state-of-the art fill & finish equipment to reduce glove interventions; <i>Dr Christian Matz, Formerly F. Hoffmann-La Roche Patrick Wieland, Bausch + Ströbel</i>									11:45 h
12:00 h										12:00 h
12:15 h										12:15 h
12:30 h	<b>Recycling and Cleanroom Garments</b> Carsten Moschner, CMC3									12:30 h
12:45 h										12:45 h
13:00 h										13:00 h
13:15 h	<b>Process Validation Sterile Drug Products: Strategy, execution and maintaining the validated state</b> Dr Anne Orillo, Novartis									13:15 h
13:30 h										13:30 h
13:45 h										13:45 h
14:00 h	<b>Contamination Control Strategy in Cannabis Manufacturing</b> Martina Gjorgjevska, The Force CT Apostol Todorovski, Sinceritas									14:00 h
14:15 h										14:15 h
14:30 h										14:30 h
14:45 h	<b>Process Validation Sterile Drug Products: Strategy, execution and maintaining the validated state</b> Dr Anne Orillo, Novartis									14:45 h
15:00 h										15:00 h
15:15 h										15:15 h
15:30 h	<b>Recycling and Cleanroom Garments</b> Carsten Moschner, CMC3									15:30 h
15:45 h										15:45 h
16:00 h										16:00 h
16:15 h	<b>Process Validation Sterile Drug Products: Strategy, execution and maintaining the validated state</b> Dr Anne Orillo, Novartis									16:15 h
16:30 h										16:30 h
16:45 h										16:45 h
17:00 h	<b>Contamination Control Strategy in Cannabis Manufacturing</b> Martina Gjorgjevska, The Force CT Apostol Todorovski, Sinceritas									17:00 h
17:15 h										17:15 h
17:30 h										17:30 h
17:45 h	<b>Medical Cannabis Manufacturing &amp; Compounding: Regulatory Issues</b> Dr Hanneke Later-Nijland, Genome Lawyers Dr Monika Hupfau, KOCH/HUPFAUF Attorneys									17:45 h
18:00 h										18:00 h
18:15 h										18:15 h

